



PCT

WORLD INTELLECTUAL
PROPERTY ORGANIZATION

WO 9603037A1

INTERNATIONAL APPLICATION PUBLISHED

(51) International Patent Classification ⁶ : A01N 25/00		A1	(11) International Publication Number: WO 96/03037 (43) International Publication Date: 8 February 1996 (08.02.96)
(21) International Application Number: PCT/GB95/01629 (22) International Filing Date: 11 July 1995 (11.07.95) (30) Priority Data: 9415292.3 28 July 1994 (28.07.94) GB (71) Applicant (for all designated States except US): ZENECA LIMITED [GB/GB]; 15 Stanhope Gate, London W1Y 6LN (GB). (72) Inventor; and (75) Inventor/Applicant (for US only): BAKER, Simon, Dominic [GB/GB]; 81 Kiln Ride, Finchampstead, Wokingham, Berkshire RG11 3PJ (GB). (74) Agents: MALLALIEU, Catherine, Louise et al.; Zeneca Agrochemicals, Intellectual Property Dept., Jealott's Hill Research Station, P.O. Box 3538, Bracknell, Berkshire RG12 6YA (GB).		(81) Designated States: AM, AU, BB, BG, BR, BY, CA, CN, CZ, EE, FI, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LV, MD, MG, MN, MW, MX, NO, NZ, PL, RO, RU, SD, SG, SI, SK, TJ, TM, TT, UA, UG, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD, SZ, UG). Published With international search report.	

(54) Title: A RODENTICIDE BAIT

(57) Abstract

A rodenticidal bait in the form of agglomerated granules comprising: a cereal base comprising a ground cereal; a rodenticide; and a water-soluble film-forming binder.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

- 1 -

A RODENTICIDE BAIT

This invention relates to rodenticidal baits; that is to say, edible compositions which are attractive to rodents (especially rats and mice) and which contain a rodenticide.

Many types of bait are in commercial use and others have been proposed. They include grains; pellets usually prepared by extrusion or casting; wax blocks again usually prepared by extrusion or by casting, and wherein the edible material attractive to rodents is incorporated into the wax; and meal baits comprising cereals processed in various ways. In particular, Belgian Patent 847,653 discloses rodenticidal baits consisting of a core of edible material coated with a external film which itself contains a rodenticide.

According to the present invention there is provided a rodenticidal bait in the form of agglomerated granules comprising (1) a cereal base comprising one or more ground cereals, (2) a rodenticide, and (3) a water-soluble film-forming binder.

Preferably, the rodenticidal bait contains a palatability-enhancing agent.

The rodenticide bait can contain further components, for example, a colouring agent, a preservative, or a substance to deter human consumption of the bait.

The size of agglomerated granules is preferably in the range of 0.20mm to about 10mm, more preferably about 0.25mm to about 10mm, even more preferably 0.25mm to 5mm.

Overall, the agglomerated granules are generally rounded in shape but with minor irregularities which provide attractive sites for gnawing by rodents.

The granules may be prepared by applying conventional granulating methods to a mixture of the components. The water soluble film-forming binder is included in the granulating process as an aqueous solution. As the wet granules formed in the process dry out, the film-forming binder stabilises the granules by binding together the particles of the components. The film-forming binder also causes individual granules to stick together to form agglomerates or lumps having an open texture because of gaps between the individual granules. (We would mention that to some

- 2 -

extent the term "granulation" is used generically in the art as a convenient term to describe all the processes by which rodenticide baits have been prepared. However, the present invention relates to a novel rodenticide bait in the form of an agglomerated granule and processes for its preparation.)

This open texture may be more attractive to rodents than prior art baits. For example the open texture may be more attractive to rodents than solid block baits, such as pellets, since they are able to detach small portions from the granule agglomerate more easily than from a solid block or a pellet.

Indeed, the bait of the present invention which is rough and irregular can be contrasted with smooth and uniform prior art baits, particularly the pellet.

The agglomerated granules of the invention may also be more palatable to rodents than baits hitherto proposed, because the various non-palatable ingredients such as the dye and the rodenticide are distributed evenly throughout the granules and not confined for example to a film on the surface of the bait as in the bait disclosed in Belgian Patent 847,653.

As previously mentioned, a variety of processes may be used in preparing the bait into an agglomerated granule form; for example, mechanical agitation, fluidised bed granulation, or pressure compaction. The latter includes, for example, the use of a roll compactor (briquetting press) or a tabletting press. Preferably the mechanical agitation method is used. Examples of machinery which can be employed in such a mechanical agitation method are: pan and rolling drum granulators, double arm mixers, ploughshare (Lodige) mixers, high shear granulators and ribbon blenders. While the operations may vary, depending on the particular process selected, a typical process would include the following steps:

(a) The dry powder components (e.g. ground cereals and optional palatability enhancers) are thoroughly blended together in a suitable mixer to form a premix. Typical blending times would be of the order of 1 to 10 minutes dependant on the machinery used. The mixer used for this operation could also be the means by which granulation is achieved (as assumed in this schematic process).

(b) The rodenticide and the agent to deter human consumption of the bait, if appropriate, both preferably in the form of a liquid concentrate,

- 3 -

are added to the premix described in (a) and the mixture is blended until until homogenous. Typically, the concentrate would be sprayed onto the premix to aid the production of an even distribution. Typical, blending times would be of the order of 10 to 30 minutes.

(c) An aqueous solution of the film-forming binder, optionally containing a preservative, is sprayed onto the mixture described in (b) whilst the mixture is being blended. Alternatively, the film-forming binder solution may be mixed with the active ingredient concentrate and the resultant single liquid component sprayed onto the powder premix.

(d) The wet mass is mixed for the required length of time until granulation is achieved and the required particle size range is produced, typically this would be of the order of 1 to 5 minutes.

(e) The granule mass is then dried to a specified moisture level either in the granulator or in a separate apparatus (e.g. fluidised bed dryer). Typical moisture content would be in the range 5 to 15%. Drying times may vary and are dependant upon initial moisture content, drying temperature, air flow, etc. Typical drying temperature would be 80 to 100° C and drying times would be of the order of 30 minutes.

(f) The granules are classified (e.g. by sieving) to the required particle size range. Typically, 0.20mm, preferably 0.25 to 10mm, as previously mentioned.

The agglomerated granules may be used to prepare other forms of bait. Thus, the wet granules prepared by the granulating process may be formed into blocks before drying. Alternatively, the granules, when dry, may be mixed with molten fat or wax and then moulded into blocks which are then allowed to cool and solidify. Such blocks may be prepared in a range of sizes, for example from 5 to 500 grams in weight.

Baits according to the invention have the following further advantages:

(1) They can withstand high levels of humidity without breaking down or becoming mouldy;

(2) They are highly acceptable to rodents;

(3) They are non-dusty in handling and application.

The cereals and other edible ingredients used in the bait are preferably of the highest grade available (ie human food grade). A variety of cereals may be used in the bait, for example wheat, barley, maize,

- 4 -

sorghum, oats, rice, and millet. Other suitable cereals for rodenticide baits can be used in the present invention, and a skilled worker will know of such cereals. It will be appreciated that one or more cereals can be used in the present invention. A proportion of the cereal may be replaced if desired by a milled pulse (eg milled peas or beans).

In order to achieve the size of granule required, and to produce the open-textured agglomerated granules described above, it has been found desirable to use cereals of a particular particle size regime. The cereal is preferably not all reduced to the same particle size range (ie not all ground to flour, or all in the form of coarse particles such as cut-wheat grains). Preferably a mixture of particle size ranges is used, in which a minor proportion (less than 50%) of the cereal is in the form of relatively coarse particles (eg as in the larger particles of whole-ground wheat) while a major proportion is in the form of relatively fine particles (eg as in wheat flour).

Preferably the size of coarse particles is in the range of equal to or greater than about 500 μ m but equal to or less than 1000 μ m (1mm). The preferred amount of coarse particles used in the agglomerated granules is in the range of from about 2% to about 10% by weight.

Preferably the size of the fine particles is equal to or less than 250 μ m. The preferred amount of fine particles used in the agglomerated granules is in the range of about 70% to about 90%.

Obviously there are combinations of the two coarse and fine proportions that sum to less than 100%. Any missing proportion would be made up of intermediate particles, which are preferably are in the size range of 250 μ m to 500 μ m.

By way of example only, an analysis of the particle size range of two typical raw materials, namely medium whole ground wheat flour and fine ground oat flour, is given below:-

- 5 -

Medium Whole Ground Flour

Sieve Aperture Size (μm)	Percentage Retained on Sieve *
840	5
420	15
250	15
177	25
149	10
Passing 149	30

Fine Ground Oat Flour

Sieve Aperture Size (μm)	Percentage Retained on Sieve *
500	2
300	10
212	10
150	20
Passing 150	58

* Accuracy \pm 5%

All sieve aperture sizes are quoted as micrometers (μm).

When using mixtures of cereals, if desired, one cereal may be used to provide the coarse particles and the other the fine particles. Examples of such mixtures include: finely ground maize with whole ground wheat; finely ground barley with whole ground wheat; whole ground wheat with finely ground oats; and finely ground wheat with whole ground barley.

Baits containing a mixture of two or more cereals may be more attractive to rodents than baits containing only a single cereal.

Preferably, the rodenticide bait includes a palatability-enhancing agent. The palatability-enhancing component of the bait may include, for example, a sweetener. The sweetener may be, for example, sugar (sucrose), optionally in the form of molasses. Other sweeteners may be used and examples of such sweeteners include acesulfame-K, alitame, aspartame, cyclamate, saccharin, sucralose, sorbitol, mannitol, xylitol, thaumatin, monellin, isomalt, and isomaltulose. Many of these materials have greater sweetening power than sucrose, and if used, they will be incorporated at a concentration appropriate to their sweetening power.

Other palatability-enhancing agents include animal and vegetable oils

- 6 -

for example fish oil, and maize, peanut, and soyabean oil, and dried yeast.

The concentration of the palatability-enhancing agent in the final bait composition will vary depending on its identity but will typically be in the range from about 1 to about 5 percent by weight. The amount to be used will be known by a person skilled in the art, or can be determined by routine experimentation.

The bait according to the invention may contain one or more rodenticides. The rodenticide may be any known or developed rodenticide. Examples of commercially available rodenticides include brodifacoum; difethialone; flocoumafen; bromadiolone; warfarin; cholecalciferol; chlorphacinone; diphenacoum; coumatetralyl; diphacinone and phenindione.

The concentration of the rodenticide in the final bait may vary somewhat according to the particular active ingredient used, but will usually be in the range from about 5 to about 550 parts per million (ppm), preferably in the range of about 10 to about 500 ppm, more preferably about 10 to about 250 ppm, and even more preferably in the range of from about 10 to about 100ppm. However, again an appropriate amount of rodenticide will be known by a skilled worker or readily determinable by routine experimentation.

The water-soluble film-forming binder is used in the bait according to the invention to help agglomerate the cereal base and the other ingredients into granules, and gives the granules their strength and resistance to environmental deterioration. Once the aqueous solution of binder has evaporated from the granules, the film of binder which is left is required to adhere strongly to hydrophilic surfaces, to be flexible with high mechanical strength, non-hygroscopic and non-tacky at high humidity, bland in taste, and not repellent to rodents. Examples of binders include: cellulose ethers, for example methyl cellulose, ethyl cellulose, methyl hydroxyethyl cellulose, methyl hydroxypropyl cellulose, hydroxyethyl cellulose, and hydroxypropyl cellulose; starch from various sources (eg potato or wheat); polyvinyl alcohol; polyvinyl pyrrolidone; guar gum; carrageenan; gelatin; xanthan gum; acacia gum; locust bean gum; karaya gum; tragacanth; pectin; and polyacrylates. Hydroxypropyl cellulose is a preferred binder.

Although the binders as supplied commercially (usually in the form of a powder) are water soluble, they do not in general dissolve readily in

- 7 -

water but require mechanical agitation over a period of time to bring them into solution. When the solution of the binder evaporates from the rodent bait, the film of binder left on the surface of the particles cures and becomes more resistant to dissolution in water, and hence is able to increase the physical structure of the bait against degradation in conditions of high humidity.

The concentration of the binder in the bait may vary depending on for example the particular binder chosen for use, but in general will be from about 1 to about 10 percent by weight, and usually from about 1 to about 5 percent. Again, an appropriate amount of the binder can be readily determined using routine experimentation.

The bait according to the invention may also contain a preservative to reduce or prevent degradation of the bait by microorganisms, or an anti-oxidant to reduce the tendency of the bait to degrade by oxidation. Examples of preservatives include sorbic acid and its salts (eg the potassium salt), propionic acid, and benzisothiazolones. The concentration of the preservative may vary depending for example on the identity of the preservative used, but in general may be from about 0.05 to about 0.2 percent by weight. Examples of anti-oxidants include propyl gallate and butylated hydroxyanisole. The concentration of the anti-oxidant will usually be in the range from about 0.05 to about 0.1 percent by weight.

The bait according to the invention may also contain an agent to deter human consumption of the bait, for example the bittering agent denatonium benzoate or another salt of the denatonium cation. Preferably this substance is used at a concentration of about 0.001 percent by weight.

The bait may also contain a colouring agent comprising a dye or pigment.

The bait may also contain an additive to increase its resistance to moisture, for example a wax. Examples of waxes include carnauba wax; waxes used in the food industry, (eg beeswax); and refined waxes used in the chemical industry (eg purified paraffin wax). The concentration of the wax will usually be in the range from about 1 to about 3 percent by weight.

Again an appropriate amount of such optionally components will either be known by a skilled worker or can be determined using routine experimentation.

The granules may be used both inside buildings and other structures,

- 8 -

or outdoors. The granules may be placed in suitable locations by transferring them from a bulk container. They may also be used in place packs (ie packs containing a pre-measured dose) or in bait stations. They may also be used in a mouse box or tube or may be dispensed from a device designed to deliver a pre-measured dose.

Further preferred features and embodiment of the present invention will now be illustrated by the following non-limiting Examples, in which, unless stated otherwise, all parts are by weight. The brodifacoum liquid concentrate referred to in the Examples has the following composition:

Ingredient	Concentration (percentage by weight)
Technical brodifacoum	x*
Triethanolamine	6
Polyethylene Glycol 200	4-x
Durazol Blue BG	10
"Bitrex" powder	0.1
Propylene glycol	to 100

*where x gives 0.5 percent by weight active brodifacoum.

Durazol Blue BG is a Trade Mark for a composition containing a triphenodioxazine dye, and Bitrex is a Trade Mark for a bittering agent comprising a salt of the denatonium cation.

EXAMPLE 1

This Example illustrates the composition of a rodent bait according to the invention.

Ingredient		% w/w
Brodifacoum liquid concentrate	(toxicant)	x
Icing sugar	(palatability enhancer)	2.0
Hydroxypropyl cellulose	(film former)	2.0
Proxel GXL	(preservative)	0.15
Whole ground wheat	(palatable base)	to 100

- 9 -

where x gives 0.005% w/w brodifacoum and 0.001% w/w "Bitrex"
Proxel GXL is a Trade Mark for a preservative comprising
1,2-benzisothiazolin-3-one.

EXAMPLE 2

This Example illustrates the composition of a rodent bait according to the invention.

Ingredient		% w/w
Brodifacoum liquid concentrate	(toxicant)	x
Icing sugar		2.0
Vegetable oil	(palatability agent)	2.0
Hydroxypropyl cellulose	(film former)	2.0
Proxel GXL	(preservative)	0.15
Whole ground wheat	(palatable base) to	100

where x gives 0.005% w/w brodifacoum and 0.001% w/w "Bitrex"

EXAMPLE 3

This Example illustrates the composition of a rodent bait according to the invention.

Ingredient		% w/w
Brodifacoum liquid concentrate		x
Icing sugar		2.0
Hydroxypropyl cellulose		2.0
Proxel GXL	(preservative)	0.15
Butylated hydroxyanisole	(anti oxidant)	0.1
Citric acid	(anti oxidant)	0.1
Whole ground wheat	(palatable base) to	100

where x gives 0.005% w/w brodifacoum and 0.001% w/w "Bitrex"

EXAMPLE 4

This Example illustrates the composition of a rodent bait according to the invention.

Ingredient		% w/w
Brodifacoum liquid concentrate		x
Icing sugar		2.0
Hydroxypropyl cellulose		2.0
Potassium sorbate	(preservative)	0.3
Carnauba wax	(waterproofing agent)	2.0

- 10 -

Whole ground wheat to 100
 where x gives 0.005% w/w brodifacoum and 0.001% w/w "Bitrex"

EXAMPLE 5

This Example illustrates the composition of a rodent bait according to the invention.

Ingredient	% w/w
Brodifacoum liquid concentrate	x
Molasses	5.0
Hydroxypropyl cellulose	2.0
Dye	0.1
Proxel GXL	0.15
Oatflour (finely ground cereal)	37
Whole ground wheat (coarse ground cereal)	to 100
where x gives 0.005% w/w brodifacoum and 0.001% w/w "Bitrex"	

EXAMPLE 6

This Example illustrates the composition of a rodent bait according to the invention.

Ingredient	% w/w
Brodifacoum liquid concentrate	x
Icing sugar	5.0
Dye	0.1
Hydroxypropyl cellulose	2.0
Proxel GXL	0.15
Oatflour (finely ground cereal - palatable base	37
Whole ground wheat (coarse ground cereal, material mixture)	to 100
where x gives 0.005% w/w brodifacoum and 0.001% w/w "Bitrex"	

EXAMPLE 7

The Example illustrates the composition of a rodent bait according to the present invention.

Ingredient	% w/w
Brodifacoum liquid concentrate	x
Saccharin	0.1
Dye	0.1
Hydroxypropyl cellulose	2.0
Proxel GXL	0.15
Oat flour (finely ground cereal)	37

- 11 -

Whole ground wheat (coarse ground cereal) to 100
 where x gives 0.005% w/w brodifacoum and 0.001% w/w "Bitrex"

EXAMPLE 8

This Examples illustrates that the rodenticide bait of the present invention provides good rodent control.

The test species were Welsh Farmstead *Rattus norvegicus* and *Mus musculus*. Five males and five females were used per test, and the animals were individually caged. The animals were conditioned on laboratory diet for four days prior to the test. Pre and post trial the animals were fed with control bait which did not contain the active ingredient, which in these trials was brodifacoum. The quantity of food eaten pre and post trial provides an indication of the population of the rodents, and can be used to determine % control. During the test with a brodifacoum agglomerated granule of the present invention the animals were given the choice between two test diets for three days. Water was available ad lib through the trial. The quantity of each diet consumed was assessed by weight daily, and at the end of the trial, the quantity eaten summed for 10 animals, two sexes, over the three days and expressed as a percentage of total food consumption.

Species	Trial	Consus bait consumption (g)		% Control
		Pre-trial	Post-trial	
Rattus	1	718	0	100%
Rattus	2	3093	170	94.5%
Mus	1	146	6	95.9%
Mus	2	98	0	100%

EXAMPLE 9

This Example illustrates the preference of rats and mice for an agglomerated granule of the present invention. The acceptance of rats and mice for an agglomerated granule of the present invention, comprising 0.1% bromadiolone concentrate, 0.001% w/w Bitrex, sweetener, Proxel GXL,

- 12 -

oatflour and fine wheat, against the unformulated pre-mix of the components (powder) was tested. Ten animals were used in each test.

Bromadiolone (50ppm)

Rats 88.4% acceptance for the granule (11.6% powder)

Mice 61.5% acceptance for the granule (38.5% powder)

EXAMPLE 10

This Example illustrates the preference of rats and mice for an agglomerated granule of the present invention. The acceptance of rats and mice for an agglomerated granule of the present invention against a commercially available wheat based pellet was tested. Both formulations contained the same active ingredient, brodifacoum 50ppm, together with 10% Bitrex.

Rats 64.7% acceptance for the granule (35.3% pellet)

Mice 69.6% acceptance for the granule (30.4% pellet)

- 13 -

CLAIMS

1. A rodenticidal bait in the form of agglomerated granules comprising:
a cereal base comprising a ground cereal;
a rodenticide; and
a water-soluble film-forming binder.
2. A rodenticide bait according to claim 1, further comprising a palatability-enhancing agent.
3. A rodenticide bait according to claim 2, wherein the palatability-enhancing agent is a sweetener, an animal oil, a vegetable oil, or yeast.
4. A rodenticide bait according to either of claims 2 and 3, wherein the rodenticide bait contains from about 1% to about 5% by weight of the palatability-enhancing agent.
5. A rodenticide bait according to any preceding claim, wherein each agglomerated granule is in the size range of from about 0.20mm to about 10mm.
6. A rodenticide bait according to claim 5, wherein each agglomerated granule is in the size range of from about 0.25mm to about 5mm.
7. A rodenticide bait according to any preceding claim, wherein from about 2% to about 10% of the particles comprising an agglomerated granule have a size in the range of equal to or greater than about 500 μ m up to less than or equal to 1000 μ m.
8. A rodenticide bait according to any preceding claim, wherein from about 70% to about 90% of the particles comprising an agglomerated granule have a size in the range of equal to or less than about 250 μ m.

- 14 -

9. A rodenticide bait according to any preceding claim, further comprising a colouring agent, a preservative, or a substance to deter human consumption of the bait.
10. A rodenticide bait according to any preceding claim, in which the water-soluble film-forming binder is a cellulose ether, a starch, polyvinyl alcohol, polyvinyl pyrrolidone, carrageenan, gelatin, a gum, tragacanth, pectin, or a polyacrylate.
11. A rodenticide bait according to any preceding claim, wherein the rodenticide bait contains from about 1% to about 10% by weight of the water-soluble film-forming binder.
12. A rodenticide bait according to any preceding claim, wherein rodenticide is brodifacoum, difethialone, flocoumafen, bromadiolone, warfarin, cholecalciferol, chlorphacinone, diphenacoum, coumatetralyl, diphacinone or phenindione.
13. A rodenticide bait according to any preceding claim, wherein the rodenticide bait contains from about 5ppm to about 550ppm by weight of the rodenticide.
14. A rodenticide bait according to any preceding claim, wherein the ground cereal is wheat, barley, maize, sorghum, oats, rice or millet.
15. A method for the production of a rodenticide bait according to any preceding claim, comprising mixing a cereal base comprising one or more ground cereals; a rodenticide; and a water-soluble film-forming binder.

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/GB 95/01629

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A01N25/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DE,A,23 17 285 (CESKOSLOVENSKA AKADEMIE VED) 24 October 1974 see page 1, paragraph 1 see page 5, paragraph 2 see page 12, paragraph 3 - page 13, paragraph 1 see examples 1-6 ---	1-11, 13-15
X	DE,A,19 29 137 (SUMITOMO CHEMICAL) 27 November 1969 see page 5, paragraph 2 see example 2 ---	1-11, 13-15
X	EP,A,0 198 296 (DONNET RENE) 22 October 1986 see page 3, paragraph 4 - paragraph 5 --- -/--	1-15

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

24 October 1995

Date of mailing of the international search report

30. 10. 95

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+ 31-70) 340-3016

Authorized officer

Lamers, W

INTERNATIONAL SEARCH REPORT

Int. .onal Application No
PCT/GB 95/01629

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	FR,A,2 260 948 (BYK GULDEN LOMBERG CHEM FAB) 12 September 1975 see page 28; example 7 see page 30; example 11 ---	1-15
X	FR,A,2 659 194 (BEGOUEN JEAN PAUL) 13 September 1991 see page 2, line 21 - line 24 see claim 6 ---	1-11, 13-15
X	EP,A,0 248 929 (DETIA FREYBERG GMBH) 16 December 1987 see column 4, line 2 - line 5 see column 5, line 5 - line 14 see example 4 see claim 12 ---	1-15
Y	CH,A,348 003 (SOCIETE FRANCAISE DE COMPLEMENTS ALIMENTAIRES) 15 September 1960 see page 1, column 2, line 40 - line 58 see example 2 ---	1-15
Y	FR,A,2 197 514 (ARIES ROBERT) 29 March 1974 see page 4, line 34 - line 38 see page 5, line 2 - line 4 see claim 9 ---	1-15
A	BE,A,678 097 (RHONE-POULENC) 19 September 1966 see page 2, line 1 - line 4 see page 3, paragraph 2 see page 5, line 3 see page 8, paragraph 2 see example 13 ---	1-15
A	BE,A,847 653 (LIPHA) 26 April 1977 cited in the application see the whole document -----	1-15

INTERNATIONAL SEARCH REPORT

Int. l. Application No
PCT/GB 95/01629

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
DE-A-2317285	24-10-74	NONE		
DE-A-1929137	27-11-69	FR-A-	2010572	20-02-70
		GB-A-	1243565	18-08-71
EP-A-0198296	22-10-86	DE-A-	3511121	02-10-86
		AU-B-	5484186	02-10-86
FR-A-2260948	12-09-75	LU-A-	69428	09-12-75
		AT-B-	341271	25-01-78
		AU-B-	7810775	12-08-76
		BE-A-	825781	20-08-75
		CA-A-	1029297	11-04-78
		CH-A-	615085	15-01-80
		DE-A-	2506769	16-10-75
		GB-A-	1486137	21-09-77
		JP-A-	50117916	16-09-75
		JP-B-	59050641	10-12-84
		NL-A-	7501874	22-08-75
		OA-A-	4962	31-10-80
		SE-A-	7501789	21-08-75
		US-A-	4011332	08-03-77
FR-A-2659194	13-09-91	NONE		
EP-A-0248929	16-12-87	NONE		
CH-A-348003		NONE		
FR-A-2197514	29-03-74	NONE		
BE-A-678097	19-09-66	FR-A-	1462193	22-02-67
		LU-A-	50685	18-05-66
		NL-A-	6603111	20-09-66
		OA-A-	1931	04-02-70
BE-A-847653	26-04-77	FR-A-	2331285	10-06-77
		AR-A-	218233	30-05-80
		AU-B-	497126	30-11-78
		AU-B-	1952776	18-05-78

INTERNATIONAL SEARCH REPORT

Int. onal Application No
PCT/GB 95/01629

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
BE-A-847653		CA-A- 1079630	17-06-80
		CH-A- 597759	14-04-78
		DE-A- 2647722	26-05-77
		GB-A- 1511400	17-05-78
		JP-C- 1319762	29-05-86
		JP-A- 52087233	20-07-77
		JP-B- 59043442	22-10-84
		NL-A- 7612803	20-05-77
		OA-A- 5474	31-03-81
		SE-B- 430372	14-11-83
		SE-A- 7612781	18-05-77
		US-A- 4156714	29-05-79

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.